


PC board drilling dimensions(after plating)
(thickness ≤ 3.20±0.30mm)



SHELL	A±0.38	B±0.12	C±0.10	D±0.25	E±0.07	TIN LEAD PART NUMBER	TIN LEAD PART NUMBER	TIN LEAD PART NUMBER	LEAD FREE PART NUMBER	LEAD FREE PART NUMBER	LEAD FREE PART NUMBER
09	30.81	24.99	16.96	16.79	10.96	D09P91C4P V00	D09P91C6P V00	D09P91C8P V00	D09P91C4P V00LF	D09P91C6P V00LF	D09P91C8P V00LF
15	39.14	33.32	25.18	25.12	19.18	D15P91C4P V00	D15P91C6P V00	D15P91C8P V00	D15P91C4P V00LF	D15P91C6P V00LF	D15P91C8P V00LF
25	53.03	47.04	39.12	38.84	33.12	D25P91C4P V00	D25P91C6P V00	D25P91C8P V00	D25P91C4P V00LF	D25P91C6P V00LF	D25P91C8P V00LF
37	69.32	63.50	55.68	55.30	49.68	D37P91C4P V00	D37P91C6P V00	D37P91C8P V00	D37P91C4P V00LF	D37P91C6P V00LF	D37P91C8P V00LF

GENERAL CHARACTERISTICS AND ROHS INFORMATIONS:
SEE DRAWING C01-8646-0001



D

C

B

A

rev	ecn no	dr	date
G	-	MAS	2000/08/24
H	LS05-004	LMA	2004/12/31
J	LS06-0097	LGO	2006/07/29
K	LS06-0140	LGO	2006/09/22
L	109-0268	NG	2009-11-24

www.fciconnect.com

Dr PESSION 1992-09-15
Eng PESSION 1992-09-15
Chr NIRMAL GEORGE 2009-11-24
Appr SUDHIR VARMA 2009-11-24

surface ISO 1302 ✓ tolerance std ISO 406 ISO 1101
TOLERANCES UNLESS OTHERWISE SPECIFIED

ANGULAR 0.X
LINEAR 0.XX
0.XXX

projection A3
size A3
ECN 109-0268

Product family D-SUB Spec ref -

MALE CONNECTOR DELTA D
EUROPE STRAIGHT PRESS-FIT

C01-8646-0112

CUSTOMER sheet 1 of 1

European Views

D

C

B

A