



NOTE:
 CRIMPING SPEC: AS-98898-001
 PACKAGING SPEC: PK-98898-002

| SPECIFICATIONS | | | |
|--------------------------|-------------------------------|------------|------------|
| GRIP CODE | S | M | L |
| SECTION MM2 | 0.35 TO 0.75 | 1 TO 2.5 | 3 TO 5 |
| MOLEX PART NUMBER (P/N*) | 0988981029 | 0988981039 | 0988981049 |
| PLATING | Pre-plated 2 μ Sn min. | | |
| MATERIAL | HIGH COPPER | | |
| PART WEIGHT (g) | 0.737 | 0.794 | 0.814 |
| THICKNESS | 0.35 | | |
| A | 2.55 | 3.80 | 4.70 |
| B | 2.60 | 4.00 | 4.95 |
| ϕC | 1.20 | 2.00 | 2.00 |
| D | 3.85 | 5.40 | 6.35 |
| E | 4.00 | 5.15 | 6.60 |
| ϕF | 2.30 | 3.00 | 3.30 |

| | | | | | | | | | |
|--|---|---|---|--|----------------------|--|------------------------|----------------------------|--|
| REVISED EC NO: G2012-0094 DRAWN: DDOSSANTOS 2010/03/29 CHKD: DJUCLOS 2012/01/23 APPR: OPLESSIS 2012/02/07 A | QUALITY SYMBOLS DESCRIPTION | GENERAL TOLERANCES (UNLESS SPECIFIED) | | DIMENSION STYLE MM ONLY | SCALE 10:1 | DESIGN UNITS METRIC | FIRST ANGLE PROJECTION | | |
| | | 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.10 ± --- 1 PLACE ± 0.10 ± --- | m/m INCH ± --- ± --- ± 0.10 ± --- ± 0.10 ± --- | DRAWN BY G. DESBRUERES 2009/11/17 | DATE 2012/02/07 | TITLE UCC2 RCPT TERMINAL 2.8 | MOLEX INCORPORATED | | |
| | | ANGULAR ± 2 ° | | APPROVED BY OPLESSIS 2012/02/07 | DATE 2012/02/07 | MATERIAL NO. SD-98898-100 | DOCUMENT NO. | SHEET NO. 1 OF 1 | |
| | | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | | |