


RPIC-10410-A1 Series

LR4 ROSA 4x10Gb/s, 1310nm CWDM



Product Brief



Description

The RPIC-10410-A1 ROSA is a 4x10Gb/s, 1310nm CWDM receive optical subassembly, containing an optical de-multiplexer, to separate the four incoming CWDM wavelengths, four high reliability, high performance PIN photodiodes, and a quad transimpedance amplifier (TIA). The ROSA includes four limiting post-amplifiers with an I2C control interface. These are packaged in an hermetic, planar package with an LC receptacle. The electrical interface is via two flex circuits.

The ROSA is intended for use in a QSFP+ module serving 40G-LR4 (10km) links at 4x10.3125Gb/s, per IEEE 802.3ba.

Features

- Integrated 1:4 optical de-multiplexer/ filter
- Four high reliability, high performance PIN detectors
- 4x1 transimpedance amplifier (TIA) array
- 10.3125Gb/s per channel operation
- Planar body compatible with QSFP+ MSA module
- LC receptacle, electrically isolated from ROSA body
- Flex circuit for electrical interface

For product information and a complete list of distributors, please go to our web site: www.avagotech.com

Avago, Avago Technologies, and the A logo are trademarks of Avago Technologies in the United States and other countries.

CyOptics and the CyOptics logo are trademarks of CyOptics, Inc. in the United States and other countries.

Data subject to change. Copyright © 2005-2013 CyOptics, Inc. All rights reserved.

AV02-4133EN - June 5, 2013

