

VIEW ON MATING SIDE

□	Z	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	Z
□	Z	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	Z
□	Z	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	Z
□	Z	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	Z

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

A = 12Ø STANDARD CONTACTS L=2
 Z = 8 FMLB CONTACTS •Ø.6 L=2
 S = 128 TOTAL NUMBER OF CONTACTS

Marking	Standard
Performance level	G2/0 = Contact area perform.level2 / Termination tin
Flux proof	no
Fixing clip	no
Dimensions	SDA-85015-0001
Technical Data	PS-85013-0002

Z	G2/0	d1,32	b1,32	c1,32	d1,32
A	G2/0	d2-31	b2-31	c2-31	d2-31
Contact symbol	Perform. level	Contact position number			

ECN No. MG1998-2790	first release	REVISIONS		FOR PREVIOUS REVISIONS SEE MRI LIST	
		LTR			
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ±2°		DRWG BY	CC	SIGN	
INCH		CHK'D BY	KN	SIGN	
METRIC		APP'D BY	FB	SIGN	
3 PLACE ± .		SCALE			
2 PLACE ± .		DESIGN DIMENSION <input type="checkbox"/> MM <input type="checkbox"/> IN.			
1 PLACE ± .		EQUIVALENT DIMENSION <input type="checkbox"/> MM <input type="checkbox"/> IN.			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		IF TWO DIMENSIONS ARE SHOWN, THE UPPER IS THE DESIGN DIMENSION, LOWER IS SECONDARY			
REVISE ONLY ON CAD SYSTEM		SH. REV.		SHEET NO. DATE	
CAD/CAM PROJECT NAME		s8501501		1 OF 1	
s41		THIS DRAWING CONTAINS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		98/04/28	
TITLE		128 pos. Male connector acc. DIN 41612 style R contacts arrangement			
PART NO.		MOLEX EUROPE		DWG NO.	
85015-0141		SDA-85015-0141		SIZE	
				A	