






LOC	DIST	REVISIONS			
GP	00	REV	DATE	BY	APPV
		F	REVISED PER ECO-13-010626	07AUG2013	KH RP



- 1 MATERIAL:  
CONTACT - PHOS BRONZE  
HOUSING - LCP, UL 94V-0, COLOR - BLACK
- 2 FINISH:  
CONTACT AREA FINISH CONFORMS TO THE REQUIREMENTS OF TE PRODUCT SPECIFICATION 108-2303; BASED ON TELCORDIA GR-1217-CORE FOR SYSTEM QUALITY LEVEL III, APPLICATIONS IN CONTROLLED ENVIRONMENTS (CENTRAL OFFICE).  
COMPLIANT PIN AREA- 0.5µm MIN MATTE TIN OVER 1.27µm MIN NICKEL.
- 3 CONNECTOR MARKED WITH PART NUMBER, DATE CODE AND STANDARD IN APPROXIMATE AREA SHOWN
- 4 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 5. CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT. TECHNICAL REFERENCE GR-1217-CORE, ISSUE 1, NOVEMBER 1995.
- 6 REFERENCE APPLICATION SPEC 114-13202 FOR RECOMMENDED PLATED THRU HOLE DIAMETER AND PLATING THICKNESSES.

○ = SIGNAL  
 ⊗ = GROUND  
 RECOMMENDED PC BOARD LAYOUT BACKPLANE, COMPONENT SIDE SHOWN SCALE 6:1

1934346-1  
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: B. MCMASTER 25MAY2007	TE Connectivity	
DIMENSIONS: mm		CHK: W. DAVIS 25MAY2007	NAME: HEADER ASSEMBLY, DOUBLE ENDED, 3 PAIR, 16 COLUMN TinMan	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: W. DAVIS 25MAY2007		
0 PLC	±	PRODUCT SPEC	SIZE: A1	CAGE CODE: 1934346
1 PLC	±	APPLICATION SPEC	SCALE: 7:1	SHEET: 1 OF 1
2 PLC	±	WEIGHT	REV: F	
3 PLC	±	CUSTOMER DRAWING		
4 PLC	±			
ANGLES	±			
FINISH	±			