

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [69020-0680](#)

**Status:** **Active**

**Description:** Arbor Press Fixture

**Documents:**

[RoHS Certificate of Compliance \(PDF\)](#)

**General**

Product Family	Application Tooling
Series	<a href="#">69020</a>
Function	Insulation Displacement (IDT)
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	<a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>
Product Name	N/A
Survey	<a href="http://www.molex.com//review/apptool_survey.html">www.molex.com//review/apptool_survey.html</a>
Tool Type	Fixture
UPC	800753562134

**Material Info**

**Reference - Drawing Numbers**

Sales Drawing [SD-69020-0680](#)



**EU RoHS**

**China RoHS**

**Compliance Status**

**Not Reviewed**

**REACH SVHC**

**Not Reviewed**

**Low-Halogen Status**

**Not Reviewed**

**Need more information on product environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

**Search Parts in this Series**

[69020Series](#)

Application Tooling Description	FAQ Product #
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.10µm Gold (Au), 10 Circuits	0906351101
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.76µm Gold (Au), 10 Circuits	0906351102
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.38µm Gold (Au), 10 Circuits	0906351103
1.27mm Pitch QF-50™, Single	0906351141

Beam, Vertical MIL/DIN Version, 0.10µm Gold (Au), 14 Circuits 1.27mm Pitch	0906351142
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.76µm Gold (Au), 14 Circuits 1.27mm Pitch	0906351143
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.38µm Gold (Au), 14 Circuits 1.27mm Pitch	0906351161
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.10µm Gold (Au), 16 Circuits 1.27mm Pitch	0906351162
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.76µm Gold (Au), 16 Circuits 1.27mm Pitch	0906351163
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.38µm Gold (Au), 16 Circuits 1.27mm Pitch	0906351202
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.76µm Gold (Au), 20 Circuits 1.27mm Pitch	0906351203
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.38µm Gold (Au), 20 Circuits 1.27mm Pitch	0906351241
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.10µm Gold (Au), 24 Circuits 1.27mm Pitch	0906351242
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.76µm Gold (Au), 24 Circuits 1.27mm Pitch	0906351243
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.38µm Gold (Au), 24 Circuits	

1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.10µm Gold (Au), 26 Circuits	0906351261
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.76µm Gold (Au), 26 Circuits	0906351262
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.38µm Gold (Au), 26 Circuits	0906351263
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.10µm Gold (Au), 30 Circuits	0906351301
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.76µm Gold (Au), 30 Circuits	0906351302
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.38µm Gold (Au), 30 Circuits	0906351303
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.10µm Gold (Au), 34 Circuits	0906351341
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.76µm Gold (Au), 34 Circuits	0906351342
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.38µm Gold (Au), 34 Circuits	0906351343
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version, 0.10µm Gold (Au), 40 Circuits	0906351401
1.27mm Pitch QF-50™, Single Beam, Vertical MIL/DIN Version,	0906351402

0.76μm Gold (Au), 40 Circuits 1.27mm Pitch	0906351403
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.38μm Gold (Au), 40 Circuits 1.27mm Pitch	0906351501
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.10μm Gold (Au), 50 Circuits 1.27mm Pitch	0906351502
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.76μm Gold (Au), 50 Circuits 1.27mm Pitch	0906351503
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.38μm Gold (Au), 50 Circuits 1.27mm Pitch	0906351601
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.10μm Gold (Au), 60 Circuits 1.27mm Pitch	0906351602
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.76μm Gold (Au), 60 Circuits 1.27mm Pitch	0906351603
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.38μm Gold (Au), 60 Circuits 1.27mm Pitch	0906351641
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.10μm Gold (Au), 64 Circuits 1.27mm Pitch	0906351642
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.76μm Gold (Au), 64 Circuits 1.27mm Pitch	0906351643
QF-50™, Single Beam, Vertical MIL/DIN Version, 0.38μm Gold (Au), 64 Circuits 1.27mm Pitch	0906351201
QF-50™, Single Beam, Vertical	

MIL/DIN Version,  
0.10 $\mu$ m Gold (Au),  
20 Circuits

This document was generated on 10/05/2012

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**