

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 Tyco Electronics AMP GmbH ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
FT	0	C2	REVISED PER ECO-12-007964	03MAY2012	KH MS

INTERLOCKING FEATURE

12.0

282811-3 AS SHOWN

0.5

A

2.50 REF

5.00 ± 0.05

1.00 ± 0.02

10.00 ± 0.15

8.35 ± 0.15

3.85

3.5

1.00 ± 0.02

1 MATERIALS AND FINISH  
 HOUSING: PA 6-6, UL 94-V0, COLOR GREEN.  
 TERMINAL: COPPER ALLOY, TIN PLATED.

2 SUITABLE FOR 1,6-2,4mm PC BOARD THICKNESS.

3 END-TO-END STACKABLE W/INTERLOCK WITHOUT LOSS OF CENTERLINE SPACING.

4 RECOGNIZED UNDER THE COMPONENT PROGRAM OF UNDERWRITERS LABORATORIES INC. FILE N° E60677.

5 IMQ CERTIFICATE WITH SURVEILLANCE IN CONFORMITY WITH IEC 998-1/998-2-1.

6 NOT CUMULATIVE TOLERANCE.

DIM. A	N° OF POS.	PART NUMBER
20	4	282811-4
15	3	282811-3
10	2	282811-2

1.4 +0.1/-0

5.0

RECOMMENDED PC BOARD LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 24JUL2001 E. ZANOLINI	TE Connectivity	
DIMENSIONS: mm		CHK 24JUL2001 D. BIEVENOUR		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 24JUL2001 D. BIEVENOUR	NAME TERMINAL BLOCK HEADER ASSEMBLY 90 DEGREE STACKING W/INTERLOCK 5mm PITCH	
0 PLC ±		PRODUCT SPEC 108-20166	SIZE A300779	
1 PLC ±.2		APPLICATION SPEC 114-20079	CAGE CODE C-282811	
2 PLC ±.25		WEIGHT -	DRAWING NO -	
3 PLC ±		CUSTOMER DRAWING	RESTRICTED TO -	
4 PLC ±			SCALE 3:1 SHEET 1 OF 1 REV C2	
ANGLES ±2				
MATERIAL				
FINISH				

1470-19 (3/11)  
 Pro/ENGINEER DRAWING