

**Industrial Ethernet  
IE-BS-V01M-SCRJ-MM**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



Bayonet plug-in connector sets according to IEC  
61076-3-106 ver.1 (EtherNet/IP), RJ45 metal insert incl.  
SC insert

**General ordering data**

Type	IE-BS-V01M-SCRJ-MM
Order No.	<a href="#">1221010000</a>
Version	Flange FO, IP 67, Multimode, POF
GTIN (EAN)	4050118003949
Qty.	10 pc(s).

**Data sheet**

**Industrial Ethernet  
IE-BS-V01M-SCRJ-MM**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data**

**Dimensions and weights**

Net weight 66 g

**Temperatures**

Operating temperature, max.	70 °C	Operating temperature	-40 °C...70 °C
Storage temperature		Installation temperature	

**General data**

Colour	Miscellaneous	Connection 1	SCRJ
Connection 2	SCRJ	Fibre type	Multimode, POF
Housing main material	Zinc diecast	Insertion loss	≤ 0.4 dB
Plugging cycles	500	Protection degree	IP 67
Return loss (attenuation)	≥ 30 dB	Seal material	NBR

**Standards**

Connector standard IEC 61076-3-106 Var. 1,  
IEC 61754-24

**Classifications**

ETIM 4.0	EC001121	ETIM 5.0	EC001121
ETIM 6.0	EC001121	eClass 6.2	27-26-12-03
eClass 7.1	27-25-05-04	eClass 8.1	19-17-01-25
eClass 9.0	19-17-01-25		


**Approvals**

Approvals



**Industrial Ethernet  
IE-BS-V01M-SCRJ-MM**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Drawings****Installation cut-out**

Mounting cut-out: 1. With central screw connection / 2. For mounting with four M3 screws